

# MATERIAL SAFETY DATA SHEET

Effective Date: 12/11/2006

Revision Number: 000

## SECTION 1. MATERIAL AND MANUFACTURER IDENTIFICATION

Manufacturer: Prime Enterprises Inc.  
Address: 16363 N.W. 49<sup>th</sup> Avenue  
City: Miami State: FL Zip Code: 33014  
Phone: (305) 625-4929  
Emergency Phone: (Only in the event of chemical Emergencies involving Spill, Leak, Fire, Exposure, or accident involving chemicals Call CHEMTREC Day or Night): Domestic North America: 800-424-9300  
International, Call 703-527-3887  
(Collect calls accepted)  
Product Brand: Australian Gold  
Product Name: SPF50 Plus Continuous Spray X-Treme Sport Sunscreen  
Formula No.: BFCS05  
Generic Description: Sunscreen Spray  
Physical Form: Liquid Spray

## SECTION 2. OSHA HAZARDOUS COMPONENTS

<u>CAS Number</u>	<u>Wt. %</u>	<u>Component</u>	<u>Expose Limits</u>
70356-09-1	3.0 %	Parsol 1789	Not Established
6197-30-4	2.5	Octocrylene	Not Established
118-60-5	5 %	Octyl Salicylate (Octisalate)	Not Established
131-57-7	4 %	Oxybenzophenone (Oxybenzone)	Not Established
6197-30-4	7.5 %	Homosalate	Not Established
64-17-5	68.65 %	SD Alcohol 40-B	1000.000 ppm OSHA PEL/VPPEL & 1000.000 ppm ACGIH TLV
N/A	> 9 %	Other Non Hazardous Ingredients	Not Established

Comments: Hazardous ingredients are listed if they comprise  $\geq 1.0\%$  by weight. "Special Hazardous Substances or Carcinogens" are listed if they comprise  $\geq 0.1\%$  by weight.

## SECTION 3. EFFECTS OF OVEREXPOSURE

### Acute Effects

Eye: Direct contact may cause mild eye irritation, temporary redness, and discomfort.  
Skin: No significant irritation expected from a single exposure. May cause mild skin irritation.

### SECTION 3. EFFECTS OF OVEREXPOSURE

- Inhalation: No significant irritation expected from a single exposure.
- Oral: Small amounts transferred to the mouth by fingers during use, etc. is not likely to cause harmful effects. Swallowing large amounts may be harmful and cause discomfort, nausea, vomiting and diarrhea.

#### Prolonged/Repeated Exposure Effects

Effects of Chronic Exposure: For purposes of chronic exposure under the OSHA Hazard Communication Standard, these are untested mixtures. These products have been used extensively by consumers and Worldwide Beauty Care is not aware of any significant adverse effects when used in normal use.

Target Organs: This product contains ethanol. Alcoholic beverage consumption has been associated with brain damage, heart damage, and pancreatitis in humans. The relevance of these findings to ethanol exposure in industrial environments is uncertain. Overexposure to ethanol has been suggested as a cause of the following effects in laboratory animals: Pancreatic damage, liver damage, brain damage, and testis damage. In humans overexposure has been suggested as a cause of the liver damage.

Carcinogen Status: OSHA: No NTP: No IARC: No

Skin: No evidence of harmful effects from available information.

Inhalation: No significant irritation expected from a single exposure. Breathing large amounts may be harmful.

Oral: Small amounts transferred to the mouth by fingers during use, etc. should not injure. Swallowing large amounts may be harmful and cause digestive discomfort and diarrhea.

### SECTION 4. FIRST AID MEASURES

Eye: Remove contact lenses, if used. Flush immediately with plenty of water for 15 minutes. Get medical attention IMMEDIATELY.

Skin: No first aid should be needed.

Inhalation: Remove person to fresh air. Increase ventilation.

Oral: Do not induce vomiting. Rinse out mouth with water. Contact Poison Control Center. If possible do not leave individual unattended.

Comments: Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Treat according to person's condition and specifics of exposure. Always consult a physician.

## SECTION 5. FIRE FIGHTING MEASURES

Flash Point (Method Used):	Approximately 65.0 (TOC)
Auto-ignition Temperature:	No data available.
Flammability Limits in Air:	Do not use near fire or flame. Contents under pressure. Do not puncture or incinerate. Do not store at temperatures above 120 deg F. The cans are pressurized with compressed air and contain flammable ingredients. If cans are punctured, flammable liquid will be released. Never use welding or cutting torch on or near cans (even empty) because product (even just residue) can ignite explosively. During fire, irritating or toxic decomposition products may be generated
Extinguishing Media:	Water Mist/Fog, Carbon Dioxide, Alcohol Resistant Foam, and Dry Chemical.
Fire Fighting Procedures:	Self-containing breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Shut off all ignition sources. Move containers from fire area if you can do it without risk. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Use flooding amounts of water as fog. Cool product cans with flooding amounts of water from as far a distance as possible. Avoid breathing vapors; keep upwind. As with any containerized or pressurized chemicals, in the event of overheating or direct flame contact, evacuate the area to minimize hazard of potential explosion.
Unusual Fire Hazards:	Not expected.
Hazardous Decomposition Products:	Carbon oxides and traces of incompletely burned carbon compounds may be present.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

General:	Avoid uncontrolled releases of this material. Where spills are possible, a comprehensive spill response plan should be developed and implemented. Spills should be contained, solidified and placed in suitable containers for disposal in a licensed facility.
----------	---

## SECTION 7. HANDLING AND STORAGE

Handling:	<b>Flammable.</b> Do not use near fire or flame. Contents under pressure. Do not puncture or incinerate. Do not store at temperatures above 120 deg F. Keep out of reach of children. Keep container closed. Avoid eye contact. Provide sufficient ventilation and avoid prolonged skin contact. Do not place cans in trash compactor. Contents are under pressure; containers may violently rupture and travel a considerable distance.
Storage:	Keep container closed and away from heat and flame sources. Since emptied containers retain product residues, all hazard precautions given in this MSDS must be observed.

## SECTION 8. PERSONAL PROTECTION

Eyes:	Use proper protection.
Skin:	Wear resistant gloves. To prevent repeated or prolonged skin contact wear impervious clothing and boots during handling of spills
Inhalation:	Respirator is advised in the absence of proper ventilation.
Clothing:	Impervious coverall or any protective suit is recommended.

## SECTION 9. PHYSICAL & CHEMICAL PROPERTIES

Physical Form:	Clear Liquid
Color:	Light Yellow to Yellow
Odor:	Characteristic
Specific Gravity:	Approximately 0.850
Melting Point:	Not applicable
Solubility in Water:	Partially soluble
Volatile Content:	> 65%
Vapor Pressure @ 25°C:	Not Determined.

## SECTION 10. STABILITY & REACTIVITY

Conditions to Avoid:	Excessive heat, acetyl compounds, Calcium Hypochlorite, and Strong oxidizing substances.
Hazardous Decomposition Products:	Carbon oxides and traces of incompletely burned carbon compounds may be present.
Warning	<b>Flammable:</b> Do not use near fire or flame. Contents under pressure. Do not puncture or incinerate. Do not store at temperatures above 120 deg F. Keep out of reach of children.

## SECTION 11. ECOLOGICAL INFORMATION

Environmental Fate and Distribution:	No specific information is available.
Ecotoxicity:	Will not bio-concentrate in aquatic media.
Persistence and Degradation:	No specific information is available

## SECTION 12. DISPOSAL CONSIDERATIONS

Waste Disposal:	Products covered by this MSDS, in their original form, are considered non-hazardous waste according to RCRA. Additionally, disposal should be in accordance with all applicable Local, State and Federal regulations. Precautions to be Taken in Handling and storage. Do not discharge into waterways or sewer systems without proper state or local authorization.
-----------------	--

## SECTION 12. DISPOSAL CONSIDERATIONS

Container Disposal:	Dispose in a licensed facility. Additionally, disposal should be in accordance with all applicable Local, State and Federal regulations. Precautions to be Taken in Handling and storage.
Other:	When product is properly discharged in low concentrations to biological waste water treatment plants it should not cause any disturbances in the degradation activity of the activated sludge.


## SECTION 13. TRANSPORT INFORMATION

DOT Hazard Classification (intended for commercial transportation only):	ORM-D (Consumer Commodity) exempt from regulation except when shipped by air.
EMERGENCY RESPONSE GUIDE NUMBER:	NAERG# 171
IATA PROPER SHIPPING NAME:	Consumer Commodity ORM-D (Domestic) Aerosols, Flammable, N.O.S., UN1950 (Export)
IATA HAZARD CLASS:	2.1
IATA LABELS REQUIRED:	Consumer Commodity ORM-D-AIR (Domestic) Flammable Gas (Export)
BILL OF LADING DESCRIPTION:	Consumer Commodity ORM-D-AIR, 9, ID8000 (Domestic) Aerosols, Flammable, <b>N.O.S.</b> , 2.1, UN1950 (Export)
UN/NA CODE:	NA (Domestic), UN1950 (Export)
PACKING INSTRUCTIONS:	910 (Domestic), 203/Y203 (Export), Authorization: Limited Quantity
EMERGENCY RESPONSE GUIDE NUMBER:	126
IMDG PROPER SHIPPING NAME:	Aerosols
IMDG HAZARD CLASS:	2.1
IMDG LABELS REQUIRED:	CARTON MUST BE MARKED "AEROSOLS"
IMDG SECONDARY LABELS REQUIRED:	Hollow Diamond with UN1950 Marked in Center
IMDG PLACARDS REQUIRED:	None
BILL OF LADING DESCRIPTION:	Aerosol, 2, UN1950
MARINE POLLUTANT:	No
EMERGENCY RESPONSE GUIDE NUMBER:	126
EMS NUMBER:	2-13
MFAG NUMBER:	620
IMDG PAGE NUMBER:	2102
UN/NA CODE:	UN1950

SECTION 13. TRANSPORT INFORMATION

NFPA Codes: Health - **0** Flammability - **3** Reactivity - **0**  
Product Name: SPF50 Plus Continuous Spray X-Treme Sport Sunscreen

Created by: Mohammad Baig		Date: Monday, December 11, 2006
<b>Revision Chronology:</b>	<b>Revision: 0</b>	<b>Initial Revision</b>



The information contained herein is believed to be reliable, but no representations, guarantee or warranties of any kind are made as to its accuracy for particular applications or the results to be obtained from the use thereof, or that any such use does not infringe any Patent. No warranties or guarantees are made as to the suitability of the products for the applications disclosed.